




Head Office: 323 Church Street, Penrose 1061, Auckland. P. O Box 112 001 Penrose, Auckland.  
 Ph: 09 550-2805, Email: sales@driveshaftnz.co.nz

**2 Piece Shaft w/ Your Slip yoke and Rear Flange Type Pinion**

**Important: Suspension must be at Normal Ride Height.**  
**Wheels on Ground or Diff. Loaded (wheels not hanging on lift)**  
 Please take all length dimensions from vehicle - NOT the old driveshaft

**Slip Yoke Fully Inserted all the way into Trans.** (We will calculate correct slip travel)



Note: If Slip Yoke will not bottom out against seal. Mark on barrel where it stops at seal.

Center of Carrier Bearing Bolt Holes. When measuring the frame of truck, most carrier bolt holes are slotted for some flex. **Go to middle of slots.**

**Front Length** from end of tailhousing to center of carrier bearing bolt holes.

**Rear Length** from center of carrier bolt holes to flat face of pinion flange.

Boot seal on Trans? \_\_\_\_\_


How Long is boot? \_\_\_\_\_

Vehicle Type: \_\_\_\_\_

Trans. Type and output spline count \_\_\_\_\_

Differential Type if known \_\_\_\_\_

We may need bolt circle diameter. We may need a length from top to bottom of holes and left to right to determine bolt pattern. See [Flange Measure](#) for more info



Name \_\_\_\_\_ Phone \_\_\_\_\_

Address \_\_\_\_\_

Email \_\_\_\_\_ or Fax \_\_\_\_\_